

Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013 Filing Confirmation Number: 0006097319

Filing Deadline: January 15, 2014 FRN: 0020927323

Filing Date: 01/13/2014 02:10 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period?

Date that you began offering handsets in the United States 07/11

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Flash Wireless, LLC

Brand Names: Flash Wireless, LLC

PO Box:

Street Address: 1000 Progress Place

City: Concord State: NC Zip Code: 28025

Contact Name: Steve Clincy
Contact Phone: (704) 260-3378
Contact Fax: (704) 260-3625

Contact Email: sclincy@acninc.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.myflashwireless/Hearing.pdf

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months:

Methodology for Functionality Levels

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 20

Air Interface	Fully Hea Comp Number	9	Compati	ble Only	Non-Co Hand Number	dsets	Excluded Handsets Number	Total by Air Interface
GSM	3	100%						3
CDMA	14	70%	5	25%	1	5%		20

Handset 1: Apple IPhone 4 16GB

Handset Maker

Apple

Handset Model Name	FCC ID
IPhone 4 16GB	BCG-E2422

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Remarks

Handset 2: Apple iPhone 4S 16GB

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 4S 16GB BCG-E2430A

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/13

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Remarks

Handset 3: HTC EVO 4G LTE

Handset Maker

HTC

Handset Model Name FCC ID

EVO 4G LTE NM8PJ75100

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

900 MHz GSM

900 MHz CDMA

1900 MHz GSM

1900 MHz CDMA

2100 MHz GSM

2100 MHz CDMA

Dates

This handset model was offered from: 08/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Smartphone

Handset 4: HTC HTC One VX

Handset Maker

HTC

Handset Model Name FCC ID

HTC One VX NM8PN07200

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

900 MHz GSM

900 MHz CDMA

1900 MHz GSM

1900 MHz CDMA

2100 MHz GSM

2100 MHz CDMA

Dates

This handset model was offered from: 07/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Smartphone

Remarks

Handset 5: HTC Incredible 2

Handset Maker

HTC

Handset Model Name FCC ID

Incredible 2 NM8PG32100

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Remarks

Handset 6: Huawei Express

Handset Maker

Huawei

Handset Model Name FCC ID

Express QISM650

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Remarks

Handset 7: Kyocera BRIO

Handset Maker

Kyocera

Handset Model Name FCC ID

BRIO V65S3015

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Multimedia

Remarks

Handset 8: Kyocera Kona

Handset Maker

Kyocera

Handset Model Name FCC ID

Kona V65S2151

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/13

M-Rating: M4 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Remarks

Handset 9: LG OPTIMUS ELITE

Handset Maker

LG

Handset Model Name FCC ID

OPTIMUS ELITE ZNFLS696

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Remarks

Handset 10: LG REVERE

Handset Maker

LG

Handset Model Name FCC ID

REVERE BEJVN150

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Multimedia

Remarks

Handset 11: Motorola DROID 3

Handset Maker

Motorola

Handset Model Name FCC ID

DROID 3 IHDT56MF1

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/13

M-Rating: M4 T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Remarks

Handset 12: Motorola Photon

Handset Maker

Motorola

Handset Model Name FCC ID

Photon IHDP56MD1

Air Interfaces/Frequency Bands

850 MHz CDMA 900 MHz CDMA 1900 MHz CDMA 2100 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Handset 13: Samsung Chrono 2 R270

Handset Maker

Samsung

Handset Model Name FCC ID

Chrono 2 R270 A3LSCHR270

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Multimedia

Remarks

Handset 14: Samsung Galaxy Note 2

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy Note 2 A3LSPHL900

Air Interfaces/Frequency Bands

850 MHz CDMA 900 MHz CDMA 1900 MHz CDMA 2100 MHz CDMA

Dates

This handset model was offered from: 05/13 to 12/13

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Remarks

Handset 15: Samsung Galaxy Note II

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy Note II A3LSPHL900

Air Interfaces/Frequency Bands

850 MHz CDMA 900 MHz CDMA 1900 MHz CDMA 2100 MHz CDMA

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Handset 16: Samsung Galaxy S 3

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S 3 A3LSPHL710

Air Interfaces/Frequency Bands

850 MHz CDMA 900 MHz CDMA 1900 MHz CDMA 2100 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Remarks

Handset 17: Samsung Galaxy S 4 Active

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S 4 Active A3LSPHL720

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

 $900~\mathrm{MHz}~\mathrm{GSM}$

900 MHz CDMA

1900 MHz GSM

 $1900~\mathrm{MHz}~\mathrm{CDMA}$

2100 MHz GSM

2100 MHz CDMA

Dates

This handset model was offered from: 07/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Smartphone

Remarks

Handset 18: Samsung Galaxy SIII 16GB

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy SIII 16GB A3LSPHL710

Air Interfaces/Frequency Bands

850 MHz CDMA 900 MHz CDMA 1900 MHz CDMA

2100 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Handset 19: Samsung Galaxy Victory

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy Victory A3LSPHL300

Air Interfaces/Frequency Bands

850 MHz CDMA 900 MHz CDMA 1900 MHz CDMA 2100 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smartphone

Remarks

Handset 20: Samsung Gusto 2

Handset Maker

Samsung

Handset Model Name FCC ID

Gusto 2 A3LSCHU365

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 12/13

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Multimedia

Remarks

Certification

This Report has been certified by:

Steve Clincy Director of Tax, North America 01/13/2014 02:10 PM